

Amendment to Bill No. 4 - 2005

**BY: Chairperson at the request
of the County Executive**

**Legislative Day No. 4
Date: March 7, 2005**

Amendment No. 1

(This amendment makes technical corrections and adds a local amendment to the Building Code of Howard County.)

1 On page 1, in line 4, after “ “Buildings” ” insert “of the Howard County Code”.

2
3 On page 1, strike in its entirety line 10, and substitute:

4 “(a) The following amendments modify certain provisions of the adopted code:

5 (24) Subsection 105.2 Work Exempt from Permit.”.

6
7 On page 8, strike in their entirety lines 14 through 16, inclusive, and substitute:

8 “Maryland, that Paragraphs (28), (29) and (30) are renumbered as (29),(30) and (31),
9 respectively and are amended, and that new Paragraphs (10-A) and (28) are added, all of
10 Subsection (b) of Section 3.102 “Amendments to the International Residential Code, 2003
11 Edition” of Subtitle 1 “Building Code” of Title 3 “Buildings” of the Howard County Code to
12 read as follows:”.

13
14 On page 8, after line 20, insert:

15 “(b) Local Amendments. The following amendments modify certain provisions of the adopted
16 code:

17
18 (10-A) SUBSECTION R311.2.2 UNDER STAIR PROTECTION.

19 ADD AN EXCEPTION TO THE END OF THIS SUBSECTION AS FOLLOWS:

20 EXCEPTION: THE UNDER STAIR PROTECTION OF R311.2.2 IS NOT REQUIRED

21 IF:

- 1 (I) THERE IS A BASEMENT DOOR, IN THE FORM OF A SLIDING OR SIDE-
2 HINGED DOOR, THAT LEADS DIRECTLY TO THE OUTSIDE; OR
3 (II) THE DWELLING IS PROTECTED THROUGHOUT BY AN NFPA 13D, 13R,
4 OR 13 SPRINKLER SYSTEM THAT INCLUDES SPRINKLER PROTECTION
5 UNDER THE STAIR AREA.”.

6
7 On page 9, in line 25, strike “truck” and substitute “TRUNK”.